



The quality one deserves





Vision

To be a factor in the health management of people around the globe by providing affordable hospital furniture of superior quality.

Mission

Constant research and development in hospital furniture and equipment to render cost effective solutions for round the globe endusers.

ABOUT ERA'S MEDICAL DEVICES

Era's Medical Devices and Services Pvt. Ltd. is a recognized player in the healthcare segment in India and pioneers in delivering quality healthcare solutions employing ethical business practices. We provide a full suite of patient care equipment and service solutions. Its registered office is at Mumbai with branch offices and Display Centers at Lucknow and Delhi. Era's Design and Development Division and Factory is situated in Lucknow with environment friendly, modern manufacturing facilities. The company uses advanced technology to develop products keeping in mind the end user with the objective of maximum comfort and safety to the patient and convenience to the medical staff.

M/s Era's Medical Devices and Services Pvt. Ltd is an ISO 9001:2015, ISO 14001:2015, ISO 13485:2003, ISO 45001: 2018, CE, NSIC, SSI and Trade Mark accredited company. We are committed to manufacturing and supply of hospital furniture, such as ICU Bed (Electric), ICU Bed (Manual), General Bed, Full Fowler Bed, Semi Fowler Bed, Bed Side locker, Bed Side Screen 4 Panel and 3 Panel, Kick Bucket, Examination Table, Stretcher Trolley with side railing, Lenin Drum, IV Stand, Crash Cart Trolley, Revolving Stool, Instrument Trolley, Foot Step (Single and Double), Spit Stand, Visitor Bench, Wheelchair (Fixed and General), Baby Cradle etc. All our products are made of SS304, 304L SS GRADE and CRC MATERIAL.

HYGIENIC

- The bacterial fighting super element makes a comeback in Hospitals- Metallic Copper used in ICU equipments.
- Anti microbial
- Reduces Hospital Acquired Infection (HAI's)



ICU S ULUTIONS

O

Fully Motorized ICU Bed (Remote Operated) -Column Actuators

- Size: 2160 mm (L) X 990 mm (W) x 600-800 mm (H) (including buffer)
- Framework made of rectangular MS/CRC Tube
- Perforated MS/CRC top with four sections
- X-Ray permeable HDHMR backrest with x-ray cassette holder available for bedside X-ray
- Back Rest, Knee Rest movement with linear actuator (from TIMOTION)
- Hi Low position with Column actuator (from TIMOTION)
- Trendelenburg and Reverse Trendelenburg Positions with Column actuator (from TIMOTION)
- Battery Backup available
- Under Bed light available
- Bed Length extendable for taller patients
- Angle indicator available
- Manual CPR lever available
- ABS/MS/CRC Head and Foot Boards
- ABS/MS/CRC collapsible safety side railings (4 pcs)
- Bed mounted on central locking castors 125 mm
- Four locations for IV Rod
- Available in Glossy or Matt finish

* Available Colors







Nurse Control Panel





Patient Control Panel



ABS Head and Foot Board



Central Locking Castors



ABS Side Railing



Column Actuator



SS IV Rod



MS3-001A

Fully Motorized ICU Bed (Remote Operated) -Linear Actuators

OU

00

- Size: 2160 mm (L) X 990 mm (W) x 600-800 mm (H) (including buffer)
- Framework made of rectangular MS/CRC Tube
- Perforated MS/CRC top with four sections
- Back Rest, Knee Rest movement with linear actuator
- Hi Low position with Linear actuator
- Trendelenburg and Reverse Trendelenburg Positions with Linear actuator
- Battery Backup available
- Under Bed light available
- Angle indicator available
- Manual CPR lever available
- ABS/MS/CRC Head and Foot Bows
- ABS/MS/CRC collapsible safety side railings (4 pcs)
- Bed mounted on castors 125 mm
- Four locations for IV Rod
- Available in Glossy or Matt finish

* Available Colors







Nurse Control Panel



Angle Indicator



Patient Control Panel



ABS Head and Foot Board



Castors



ABS Side Railing



Linear Actuato



SS IV Rod





ICU BED (HYDRAULIC)

- Size: 2160 mm (L) x 990 mm (W) x 600-800 mm (H) (including buffer)
- Framework made of rectangular MS/CRC Tube
- 4 Section top made of Perforated MS/CRC Sheet
- Back Rest, Knee Rest, maneuvered by separate crank from foot end
- Hi Low Positions with Hydraulic Machine
- Trendelenburg / Reverse Trendelenburg positions by crank
- ABS/MS/CRC/ Laminated mm mounted head & foot.
- Collapsible Safety railing
- Telescopic IV Rod
- Bed mounted on castors 125 mm
- Available in Epoxy Power Coating



Hydraulic Hi-Low Position System



Manual Cranks



ABS Head and Foot Board



ABS Side Rails





MS3-002A



- Size: 2160 mm (L) x 915 mm (W) x 600-800 mm (H) (Including buffer)
- Framework made of rectangular MS/CRC Tube
- Perforated MS/CRC sheet top in four sections
- Back Rest, Knee Rest, Hi Low Positions by crank
- Trendelenburg / Reverse Trendelenburg positions by crank
- SS/ABS moulded head and foot boards
- SS/ABS Pull down safety side railing (4 pcs)
- Telescopic IV Rod
- Bed mounted on castors 125 mm
- Four locations for IV Rod
- Available in Epoxy Power Coating





Double Castors



Manual Cranks



ABS Head and Foot board



ABS Side Rails







CARDIAC / MAYO'S TABLE (MECHANICAL)

- Size: 610 x 410 mm SS 304 tray with adjustable height by knob
- Height 1050-800 mm
- Square tube framework mounted on 50 mm nylon wheels
- Available in Glossy or Matt finish



MS3-0024A

CARDIAC TABLE (HYDRAULIC) - WOODEN TOP

- Size: 800 x 400 mm board with adjustable height by hydraulic system
- Height 1100-800 mm
- Square tube framework mounted on 50 mm nylon wheels
- Available in Glossy or Matt finish



CARDIAC TABLE (HYDRAULIC) - ABS TOP

- Size: 800 x 400 mm ABS board with adjustable height by hydraulic system
- Height 1100-800 mm
- Square tube framework mounted on 50 mm nylon wheels
- Available in Glossy or Matt finish



MS3-0026

INSTRUMENT TROLLEY

- Overall size : 610 mm (L) x 460 mm (W) x 810 mm (H)
- MS/CRC tubular legs
- Two SS/MS/CRC shelves (top and bottom) with 3 side railings on top
- Trolley mounted on castors with two brakes
- Available in Glossy and Matt finish





ROBUST

- A standard set of user friendly medical equipments
- Easy to carry, easy to move
- Hygienic



GENERAL HOSPITAL SOLUTIONS

GENERAL HOSPITAL SOLUTIONS

MS3-003

FULL FOWLER BED

- Overall size 2100 mm (L) X 960 mm (W) x 600 mm (H) (including buffer)
- Framework made of rectangular MS/CRC Tube
- Four section top made of perforated MS Sheet
- Back Rest, Knee Rest, maneuvered by separate screw from foot end, MS 32 mm mounted Head and Foot Bows
- MS/CRC Collapsible Safety Side railings
- Location for IV Rod
- Bed mounted on 125 mm diameter castor with two brakes
- Available in Glossy or Matt finish



MS3-004

SEMI FOWLER BED

- Overall size 1960 mm (L) X 960 mm (W) x 600 mm (H) (including buffer)
- Framework made of rectangular MS/CRC Tube
- Two section top made of Perforated MS/CRC Sheet
- · Back Rest section maneuvered by separate screw from foot end
- SS 32 mm mounted Head and Foot Bows
- MS/ABS/SS Collapsible Safety Side railings
- Location for IV Rod
- Available in Glossy or Matt finish



GENERAL HOSPITAL SOLUTIONS

MS3-005

HOSPITAL GENERAL BED

- Size 1900 mm (L) X 900 mm (W) x 600 mm (H)
- Main frame of rectangular MS/CRC pipe
- MS/CRC sheet top tubular head and foot bows on rubber stumps
- Available in Glossy and Matt finish



MS3-0027

EXAMINATION TABLE (2 SECTION)

- Size: 1860 mm (L) x 510 mm (W) x 760 mm (H)
- Framework made of MS/CRC square pipe
- Legs made of round pipe and fitted with rubber shoes
- Adjustable back rest operated by hand lever
- Available in Glossy or Matt finish





SOILED LINEN TROLLEY

- Tubular frame mounted on 100 mm castor wheel & one rubber shoe
- Superior quality plastic bucket of 80 liters capacity

-0

• Available in Glossy or Matt finish



MS3-0025

DRESSING TROLLEY WITH BOWL & BUCKET

• Size: 610 mm (L) X 460 mm (W) X 810 mm (H)

-0

- MS tubular legs
- Two MS shelves with 3 side railing on top
- Trolley mounted on 125 mm diameter castor wheels
- Available in Glossy or Matt finish



GENERAL HOSPITAL SOLUTIONS

BED SIDE SCREEN (3 PANELS)

-0

- Size: 1780 mm (H) X 2440 mm (L)
- MS/CRC tubular framework mounted on 50 mm nylon wheels with / without curtains
- Available in Glossy or Matt finish

MS3-0019A

BED SIDE SCREEN (4 PANELS)

-0

- Size: 1780 mm (H) x 2380 mm (L)
- MS/CRC tubular framework mounted on 50 mm nylon wheels with / without curtains
- Available in Glossy or Matt finish





WHEELCHAIR (FIXED)

- MS/CRC tubular framework
- Seat and Back made MS/CRC sheet
- 150 mm Front Castor and 280 mm Rear Wheel

-0

- Double press front bent seat back, leg support and foot rest (Aluminium, PVC, MS)
- PU Arm rest
- Attendant hand brake provision
- Available in Glossy or Matt finish

MS3-0033A

WHEELCHAIR (FOLDING)

- MS/CRC tubular framework
- Seat and Back made of Foldable material
- 150 mm Front Castor and 280 mm Rear Wheel
- PU Arm rest
- Hand brake available
- Available in Glossy or Matt finish





OVER BED TABLE

• Size: 1070 mm (L) X 410 mm (W) X 1080 mm (H)

.

- Tubular framework mounted on 50 mm nylon wheels
- SS tray top 760 x 410 mm
- Available in Glossy or Matt finish



CYLINDER TROLLEY (B TYPE)

- Framework made of MS/CRC tube
- MS/CRC sheet base plate
- Fitted with 100 mm rubber wheels
- Available in epoxy powder coating
- Cylinder trolley (Jumbo) also available

-

• Available in Glossy or Matt finish



COMFORT

- Sturdy, long-lasting hospital accessories, specially designed keeping in mind the ease of the patient and the helpers.
- Easy to manoeuver and can be easily fixed in small places
- Hygienic



BEDSIDE SQLUTIONS



BED SIDE LOCKER (DELUXE) - SS/CRC TOP

- Size: 400 mm (L) X 400 mm (W) X 760 mm (H)
- MS/CRC sheet duly double press bent having one box and one shelf
- SS top with raised edges on three sides
- Base fitted with 50 mm nylon wheels
- Available in Glossy or Matt finish

MS3-009A

BED SIDE LOCKER (DELUXE) - ABS TOP, DRAWER & DOOR

- Size: 400 mm (L) X 400 mm (W) X 760 mm (H)
- MS sheet duly double press bent having one box, one drawer and one shelf
- ABS Drawer and Box Cover
- ABS top with raised edges on four sides
- Base fitted with 50 mm nylon wheels
- Available in Glossy or Matt finish





BED SIDE LOCKER (STD.)

• Size: 380 mm (L) X 380 mm (W) X 760 mm (H)

-0

- MS/CRC Tubular pipe construction fitted rubber stumps
- MS/CRC 3 shelves
- Available in Glossy or Matt finish



MS3-0024B

BED SIDE ALMIRAH

- Tray size: 609 mm (L) X 330 mm (W) X 889 mm (H)
- Two doors with lock facility
- Available in Glossy or Matt finish

-0





VISITOR STOOL

- Size: 300 mm (L) X 375 mm (W) X 510 mm (H)
- Square pipe frame fitted with rubber stumps
- MS/CRC sheet duly double press bent
- Available in Glossy or Matt finish



MS3-0012

PATIENT STOOL REVOLVING (DELUXE)

- Size 460-660 mm adjustable height with MS top through screw
- MS Tubular pipe-made four legs fitted with PVC stumps
- Foot ring supports
- Top made of MS
- Available in Glossy or Matt finish

-



PATIENT STOOL REVOLVING (GEN)

- Size 460-660 mm adjustable height with MS top through screw
- MS Tubular pipe-made three legs fitted with PVC stumps
- Top made of MS
- Available in Glossy or Matt finish

-



MS3-0016

KICK BUCKET

• MS tubular frame mounted on 75 mm nylon wheel

-

- SS bowl size 345 mm diameter
- Height 275 mm
- Available in Glossy or Matt finish



BEDSIDE SQLUTIONS

BEDSIDE SQLUTIONS

MS3-0017

WASH BASIN

- Size : 300 mm (L) X 375 mm (W) X 510 mm (H)
- Square pipe frame fitted with rubber stumps

.

- MS/CRC sheet duty double press bent
- Available in Glossy or Matt finish



MS3-0015

IV STAND

- MS tubular pipe.
- SS adjustable rod from 1320 to 1980 mm (maximum)
- Four leg base with 50 mm nylon wheels
- Double hook 250 mm
- Provided Hook length 300 mm (outer)
- Available in Glossy and Matt finish



BEDSIDE SQLUTIONS

FOOT STEP (DOUBLE)

- Size : 460 mm (L) X 460 mm (W) X 460 mm (H)
- MS/CRC tubular frame fitted with rubber stumps

-0

- Two tops made of MS/CRC sheet
- Available in Glossy or Matt finish



MS3-0023

FOOT STEP (SINGLE)

- Size: 460 mm (L) X 300 mm (W) X 250 mm (H)
- MS/CRC tubular legs fitted with rubber stumps

-

- MS/CRC top sheet
- Available in Glossy or Matt finish



CARE

- Providing the care children deserve...
- Child friendly design which enables them to feel comfortable
- Easy to carry, easy to move
- Hygienic



PEDIATRIC SQLUTIONS



MS3-007A

BABY CRIB

- Size: 910 mm (L) X 450 mm (W) X 910 mm (H)
- Crib size 450 mm (L) X 680 mm (W) X 300 mm (H)
- Framework made of MS/CRC round pipe
- Provided with 100 mm diameter castors, with two brakes
- Available in Glossy or Matt finish



MS3-007

BABY CRADLE

- Size: 910 mm (L) X 450 mm (W) X 910 mm (H)
- Crib size 450 mm (L) X 680 mm (W) X 300 mm (H)
- Framework made of MS/CRC round pipe
- Provided with 100 mm diameter castors, with two brakes
- Available in Glossy or Matt finish

PEDIATRIC BED

- Size: 1530 mm (L) X 760 mm (W) X 600 mm (H)
- Main frame of rectangular pipe
- Perforated MS/CRC sheet top
- Tubular head & foot bows of equal height with vertical tube supports on rubber stumps
- Drop down type safety side railings provided
- Available in Glossy or Matt finish






RELIABLITY

- Emergency is the gateway to the hospital

- Robust equipment with especially crafted designs for quick manoeuvring.



EMERGENCY & OPERATION THEATRE SQLUTIONS

EMERGENCY & OPERATION THEATRE SQLUTIONS

MS3-0028

EMERGENCY CRASH CART

- Frame size 930 mm (L) X 400 mm (W) X 1660 mm (H)
- Tubular frame top tray for monitor and pulse oxymeter
- · Six removable bins, two modular storage units with lock, three drawers each
- Oxygen Cylinder Holder IV Rod & Cardiac Message Board
- Trolley mounted on 125 mm-diameter heavy duty castors, with two brakes
- Available in Glossy or Matt finish



MS3-0043

LAPRO INSTRUMENT TROLLEY

- Main Frame made of MS Rectangular 50 x 25 mm
- Four shelves one sliding cabinet made of MS sheet, top shelf fixed, 3 shelves adjustable
- MS Cylinder cage, IV Rod attached
- Double Wheel castor 125 mm with two brakes
- No. 7 switch socket combined fitted on WPC board with 5 meter lead
- Available in Glossy or Matt finish



EMERGENCY & OPERATION THEATRE SQLUTIONS

MS3-0030

STRETCHER TROLLEY

- Size: 2130 mm (L) X 560 mm (W) X 820 mm (H)
- Framework made of tubular MS/CRC pipe
- Swing away type safety side railing
- Trolley mounted on 150 mm diameter castors with two brakes
- Removable stretcher top made of MS/CRC sheet
- Available in Glossy or Matt finish



MS3-0035A

EMERGENCY RECOVERY TROLLEY (HYDRAULIC)

- Size: 2100 mm (L) X 650 mm (W) X 750-900 mm (H)
- Hydraulic mechanism for height adjustment
- MS/CRC side rail for safety of patients
- Telescopic IV Rod and Oxygen Cylinder Cage
- Trolley mounted on 125 mm castors
- X-rays Cassette Holder
- Trendelenburg and Reverse Trendelenburg position by gas spring
- Available in Glossy or Matt finish



MS3-0044A

O.T LIGHT SINGLE DOME

- Illumination at 1 Meter :- 20000 to 1,60,000 Length
- Focus Size : 120mm to 280mm
- Power Consumption : 100 W
- Lifespan : 50,000 Hrs
- Color Temperature : 3800K to 4800 K
- Color Rendering Index 95
- Rotating Angle : 270

MS3-0044B

O.T LIGHT DOUBLE DOME

- Illumination at 1 Meter :- 20000 to 1,60,000 Length
- Focus Size : 120mm to 280mm
- Power Consumption : 180 W
- Lifespan : 50,000 Hrs
- Color Temperature : 3800K to 4800 K
- Color Rendering Index 95
- Rotating Angle : 270

EMERGENCY & OPERATION THEATRE SQLUTIONS

MS3-0043E

ECG TROLLEY

- Size: 575 L x 460 W x 930 H mm
- Framework made of tubular MS/CRC pipe

-0

- Trolley mounted on 125 mm diameter castors with two brakes
- Trolley made of one locker with two shelves and SS IV Rod
- Available in Glossy or Matt finish

MS3-0014

LABORATORY STOOL

- Base made of rectangular MS tube
- Height adjustable 620 870 mm hydraulic seat
- Base fitted with 50 mm nylon wheels
- Cushion/Wood/MS top seat also available
- Available in Glossy or Matt finish




LECTURE THEATERE FURNITURE

- Size: 3900 mm (L) X 400 mm (W) X 750 mm (H)
- Made of rectangular pipe
- Desktop fitted with MS/SS Sheet
- Colour options available



CLIENT LIST





(An ISO 9001:2015, ISO 14001:2015, ISO 13485:2003 ISO 45001:2018, CE and NSIC Registered Company)

Registered Office: 205-Shree Prasad House, 35th road, TPS III, Near National College, Linking Road, Bandra (W) Mumbai-400050, Tel.: 022-26057781, Mob.: 9930920444

Branch Office: K.NO-03, Hardoi road, Sarfarajganj Balaganj, Lucknow, Uttar Pradesh - 226003 Tel. : 0522-2409964, 22405777, Mobile : +91 9838471861, 6307996200, 6307996202

Delhi Office: F7, Second Floor, East of Kailash, New Delhi-110065, Mobile: +91-9873182315 Workshop : Sarfarazganj, Hardoi Road, Lucknow - 226003 Website : www.eramds.com, Email Id : info@eramds.com, sales@eramds.com